



This figure displays a 40x15 grid of symbols, likely representing data points or specific measurements. The grid is color-coded according to a legend on the right side, where darker shades of green represent higher values (up to 100) and lighter shades represent lower values (down to 0). The x-axis is labeled with numerical values from 80 to 150, and the y-axis is labeled with values 10, 20, 30, and 40.

The symbols used in the grid include:

- Letters: A, B, C, D, E, F, G, H, I, J, K, L, M, N, O, P, Q, R, S, T, U, V, W, X, Y, Z
- Digits: 0, 1, 2, 3, 4, 5, 6, 7, 8, 9
- Mathematical operators: +, -, \*, /

The distribution of symbols shows a clear trend: higher values are concentrated in the upper-left region (around 80-100 on the x-axis and 10-20 on the y-axis), while lower values are more prevalent in the lower-right region (around 130-150 on the x-axis and 30-40 on the y-axis). The symbols themselves are mostly black or dark gray, with the color of the background grid providing the primary visual distinction between data points.



























	150	160	170	180	190	200	210	220
50	... 5 5 .. ::	... 5 5 .. ::	5 5 .. ::	m m m 5 .. ::	5 5 5 5 .. ::	5 : : H H H 5 0 0	5 : : H H H 5 0 0	a a a a a a a a ::
60	+ : : # # # #	+ : : # # # #	+ : : # # # #	+ : : # # # #	+ : : # # # #	+ : : # # # #	+ : : # # # #	+ : : # # # #
70	e e e + + +	e e e + + +	e e e + + +	e e e + + +	e e e + + +	e e e + + +	e e e + + +	e e e + + +
80	a a + 7 + + +	a a + 7 + + +	a a + 7 + + +	a a + 7 + + +	a a + 7 + + +	a a + 7 + + +	a a + 7 + + +	a a + 7 + + +
90	+ 7 7 7 7 7 7	+ 7 7 7 7 7 7	+ 7 7 7 7 7 7	+ 7 7 7 7 7 7	+ 7 7 7 7 7 7	+ 7 7 7 7 7 7	+ 7 7 7 7 7 7	+ 7 7 7 7 7 7










This figure displays a 90x10 grid of symbols, likely representing data from 450 to 520. The grid is organized into 10 columns, each labeled with a number from 450 to 520 at the top. The rows are numbered 50 through 90 on the left side. The symbols are color-coded, showing a gradient from light gray to dark green across the grid. A prominent vertical line is drawn at column 500. The symbols include various characters such as flowers, diamonds, triangles, and numbers, often arranged in patterns or sequences.

























The figure consists of a large 5x5 grid of smaller 5x5 grids. Each small grid has a header row and a header column. The rows are labeled 90, 100, 110, 120, and 130 from top to bottom. The columns are labeled 450, 460, 470, 480, 490, 500, 510, and 520 from left to right. Each small grid contains a 90x100 grid of symbols. The symbols include various letters (A-H), numbers (1-5), and mathematical operators (+, -, \*, /). The grids are color-coded by row and column index.













This figure displays a 10x10 grid of binary matrices, where each matrix represents a state transition between two specific values. The columns are labeled from 230 to 290, and the rows are labeled from 140 to 170. The matrices are composed of various symbols including arrows, numbers, and letters, indicating the nature of the state transitions.

The grid shows a complex pattern of transitions, with many rows and columns containing identical or very similar patterns. Notable features include:

- Row 140: Contains several '5' symbols and a sequence of 'a' symbols.
- Row 150: Contains sequences of 'aa' and 'aaa' symbols.
- Row 160: Contains sequences of '00' and '000' symbols.
- Row 170: Contains sequences of '0000' and '00000' symbols.

The overall structure suggests a highly regular and periodic pattern of state transitions across the different time steps represented by the labels 230 through 290.








The figure displays a 10x10 grid of binary matrices, each representing the state of a system at a specific time step. The time steps are labeled along the top row: 450, 460, 470, 480, 490, 500, and 510. The y-axis on the left indicates the row index, ranging from 140 at the top to 170 at the bottom. The x-axis represents the column index, which is not explicitly labeled but corresponds to the time steps. The grid cells contain various symbols, primarily 'm' and 'H', which are colored green or grey. A black arrow points to the bottom-left corner of the grid.

This figure displays a 2D grid of data points, likely representing a heatmap or a matrix of values. The horizontal axis (x-axis) is labeled with numerical values ranging from 520 to 590, with labels positioned above the grid. The vertical axis (y-axis) is labeled with numerical values ranging from 130 to 170, with labels positioned to the left of the grid. The grid cells are colored according to a gradient, with darker shades indicating higher values. A prominent black arrow is located in the bottom-left corner of the grid area.


	600	610	620	630	640	650
140	*	*	*	*	*	*
150	*	*	*	*	*	*
160	*	*	*	*	*	*
170	*	*	*	*	*	*
	600	610	620	630	640	650









	230	240	250	260	270	280	290
180	...	...	...	...	...	...	...
190	...	...	...	...	...	...	...
200	...	...	...	...	...	...	...
210	...	...	...	...	...	...	...
220	...	...	...	...	...	...	...
































	450	460	470	480	490	500	510	520
220	...	...	...	...	...	...	...	...
230	...	...	...	...	...	...	...	...
240	...	...	...	...	...	...	...	...
250	...	...	...	...	...	...	...	...
260	...	...	...	...	...	...	...	...


	220	520	530	540	550	560	570	580	590
230									
240									
250									
260									















































**Fabric:** Aida 14, White

653w X 344h Stitches

**Size:** 14 Count, 118.47w X 62.41h cm**Floss Used for Full Stitches:**

Symbol	Strands	Type	Number	Color
■	•	2	DMC 168	Pewter-VY LT
■	ⓐ	2	DMC 169	Pewter-LT
■	■	2	DMC 310	Black
■	■	2	DMC 320	Pistachio Green-MD
■	7	2	DMC 414	Steel Gray-DK
■	■	2	DMC 415	Pearl Gray
■	■	2	DMC 469	Avocado Green
■	8	2	DMC 470	Avocado Green-LT
■	■	2	DMC 471	Avocado Green-VY LT
■	■	2	DMC 500	Blue Green-VY DK
■	■	2	DMC 501	Blue Green-DK
■	+	2	DMC 502	Blue Green
■	■	2	DMC 522	Fern Green
■	■	2	DMC 523	Fern Green-LT
■	H	2	DMC 535	Ash Gray-VY LT
■	■	2	DMC 561	Celadon Greene-VY DK
■	■	2	DMC 598	Turquoise-LT
■	◊	2	DMC 644	Beige Gray-MD
■	◊	2	DMC 712	Cream
■	■	2	DMC 747	Peacock Blue-VY LT
■	5	2	DMC 762	Pearl Gray-VY LT
■	■	2	DMC 890	Pistachio Green-UL DK
■	0	2	DMC 895	Hunter Green-VY DK
■	O	2	DMC 904	Parrot Green-VY DK
■	■	2	DMC 924	Gray Green--VY DK
■	■	2	DMC 927	Gray Green-LT
■	◊	2	DMC 931	Antique Blue-MD
■	■	2	DMC 932	Antique Blue-LT
■	■	2	DMC 937	Avocado Green-MD
■	■	2	DMC 986	Forest Green-VY DK
■	1	2	DMC 989	Forest Green
■	■	2	DMC 3021	Beige Gray-VY VY DK
■	■	2	DMC 3042	Antique Violet-LT
■	■	2	DMC 3052	Green Gray-MD
■	♦	2	DMC 3345	Hunter Green-DK
■	2	2	DMC 3346	Hunter Green
■	■	2	DMC 3348	Yellow Green-LT
■	4	2	DMC 3362	Pine Green-DK
■	■	2	DMC 3363	Pine Green-MD
■	■	2	DMC 3371	Black Brown
■	■	2	DMC 3752	Antique Blue-VY LT

Symbol	Strands	Type	Number	Color
■	►	2	DMC 3753	Antique Blue-UL VY LT
■	■■■	2	DMC 3756	Baby Blue-UL VY LT
■■■	+	2	DMC 3768	Gray Green-DK
■■■	%	2	DMC 3811	Turquoise-VY LT
■■■	✿	2	DMC 3813	Blue Green-LT
■■■	e	2	DMC 3815	Celadon Green-DK
■■■	▼	2	DMC 3816	Celadon Green-MD
■■■	□	2	DMC 3865	Winter White
■■■	m	2	DMC 3866	Beige Brown-UL VY LT

**Расход нитей****Нитей в мотке:** 6**Длина мотка:** 795.0 см

Type	Number	Full	Half	Quarter	Petite	Back(cm)	Str(cm)	Spec(cm)	French	Bead	Skein	Est.
■ DMC	168	6832	0	0	0	0.0	0.0	0.0	0	0	3.000	
■ DMC	169	3401	0	0	0	0.0	0.0	0.0	0	0	2.000	
■ DMC	310	23633	0	0	0	0.0	0.0	0.0	0	0	11.000	
■ DMC	320	2461	0	0	0	0.0	0.0	0.0	0	0	2.000	
■ DMC	414	3226	0	0	0	0.0	0.0	0.0	0	0	2.000	
■ DMC	415	8641	0	0	0	0.0	0.0	0.0	0	0	4.000	
■ DMC	469	1595	0	0	0	0.0	0.0	0.0	0	0	1.000	
■ DMC	470	3567	0	0	0	0.0	0.0	0.0	0	0	2.000	
■ DMC	471	2030	0	0	0	0.0	0.0	0.0	0	0	1.000	
■ DMC	500	5239	0	0	0	0.0	0.0	0.0	0	0	3.000	
■ DMC	501	3244	0	0	0	0.0	0.0	0.0	0	0	2.000	
■ DMC	502	2905	0	0	0	0.0	0.0	0.0	0	0	2.000	
■ DMC	522	2638	0	0	0	0.0	0.0	0.0	0	0	2.000	
■ DMC	523	4907	0	0	0	0.0	0.0	0.0	0	0	3.000	
■ DMC	535	3702	0	0	0	0.0	0.0	0.0	0	0	2.000	
■ DMC	561	3965	0	0	0	0.0	0.0	0.0	0	0	2.000	
■ DMC	598	2756	0	0	0	0.0	0.0	0.0	0	0	2.000	
■ DMC	644	2081	0	0	0	0.0	0.0	0.0	0	0	1.000	
■ DMC	712	2640	0	0	0	0.0	0.0	0.0	0	0	2.000	
■ DMC	747	2798	0	0	0	0.0	0.0	0.0	0	0	2.000	
■ DMC	762	6541	0	0	0	0.0	0.0	0.0	0	0	3.000	
■ DMC	890	17296	0	0	0	0.0	0.0	0.0	0	0	8.000	
■ DMC	895	11789	0	0	0	0.0	0.0	0.0	0	0	6.000	
■ DMC	904	6669	0	0	0	0.0	0.0	0.0	0	0	3.000	
■ DMC	924	2769	0	0	0	0.0	0.0	0.0	0	0	2.000	
■ DMC	927	5634	0	0	0	0.0	0.0	0.0	0	0	3.000	
■ DMC	931	3953	0	0	0	0.0	0.0	0.0	0	0	2.000	
■ DMC	932	8873	0	0	0	0.0	0.0	0.0	0	0	4.000	
■ DMC	937	3837	0	0	0	0.0	0.0	0.0	0	0	2.000	
■ DMC	986	4283	0	0	0	0.0	0.0	0.0	0	0	2.000	
■ DMC	989	1871	0	0	0	0.0	0.0	0.0	0	0	1.000	
■ DMC	3021	1653	0	0	0	0.0	0.0	0.0	0	0	1.000	
■ DMC	3042	1181	0	0	0	0.0	0.0	0.0	0	0	1.000	
■ DMC	3052	1055	0	0	0	0.0	0.0	0.0	0	0	1.000	
■ DMC	3345	3620	0	0	0	0.0	0.0	0.0	0	0	2.000	
■ DMC	3346	4222	0	0	0	0.0	0.0	0.0	0	0	2.000	
■ DMC	3348	1676	0	0	0	0.0	0.0	0.0	0	0	1.000	
■ DMC	3362	2287	0	0	0	0.0	0.0	0.0	0	0	1.000	
■ DMC	3363	3566	0	0	0	0.0	0.0	0.0	0	0	2.000	
■ DMC	3371	3805	0	0	0	0.0	0.0	0.0	0	0	2.000	
■ DMC	3752	3444	0	0	0	0.0	0.0	0.0	0	0	2.000	

Type	Number	Full	Half	Quarter	Petite	Back(cm)	Str(cm)	Spec(cm)	French	Bead	Skein	Est.
□ DMC	3753	6988	0	0	0	0.0	0.0	0.0	0	0	3.000	
□ DMC	3756	1730	0	0	0	0.0	0.0	0.0	0	0	1.000	
■ DMC	3768	4046	0	0	0	0.0	0.0	0.0	0	0	2.000	
□ DMC	3811	1697	0	0	0	0.0	0.0	0.0	0	0	1.000	
■ DMC	3813	1204	0	0	0	0.0	0.0	0.0	0	0	1.000	
■ DMC	3815	6865	0	0	0	0.0	0.0	0.0	0	0	3.000	
■ DMC	3816	4292	0	0	0	0.0	0.0	0.0	0	0	2.000	
□ DMC	3865	1542	0	0	0	0.0	0.0	0.0	0	0	1.000	
□ DMC	3866	3983	0	0	0	0.0	0.0	0.0	0	0	2.000	